

Manufacturer Of Pool , Facade And Landscape Lights

Pool And Outdoor Waterproof Lights

 **ESlight**

ارتقا صنعت نور
ERTEGHA SANAT NOOR

About Us

ES Light

The **Ertegha Sanat Noor** Factory With Over A Decade Of Activity And Experience In The Lighting And Illumination Industries, Utilizing Cutting-Edge Global Knowledge And High-Quality Products In Accordance With International Standards.

This Industrial Group, Through The Utilization Of Various Department Such As Design, Laser Cutting, Cnc Machining, Casting, Plastic Injection, Electrostatic Painting, With The Help Of Dedicated And Skilled Workforce, Has Managed To Offer Superior Quality Products At Competitive Price. We Provide A 3-Year Replacement Warranty And A 2-Year Repair Warranty On Our Products.

We Hope That With The Support Of Valued Consumers And Our Continued Efforts, This Company Can Contribute Its Small Share In Beautifying Your Living Space.

ارتقا صنعت نور با بیش از یک دهه فعالیت و تجربه در صنایع روشنایی و با بهره گیری از دانش روز دنیا و استفاده از بهترین مواد اولیه توانسته است محصولاتی با کیفیت برتر و مطابق با استانداردهای جهانی تولید نماید.

این گروه صنعتی با به کارگیری بخش های مختلفی چون طراحی، برش لیزر، خم کاری، ماشین کاری، قالب سازی، ریخته گری، تزریق پلاستیک، CNC، شست و شو، رنگ الکترواستاتیک و به کمک نیروی انسانی متخصص و متعهد توانسته است محصولاتی را با کیفیت برتر، قیمت رقابتی، با ۵ سال گارنتی به بازار عرضه نماید.

امید است با حمایت شما مصرف کنندگان گرامی و همچنین تلاش روزافزون این مجموعه بتوانیم سهم کوچکی را در زیباسازی فضای زندگی شما داشته باشیم.

1.

Pool And Outdoor Waterproof Lights

Pool And Outdoor Waterproof Lights



Pool And Outdoor Waterproof Lights



3 Watt Well Light

QD3-3W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	ø: 10.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68

6 Watt Well Light

QD6-6W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	ø: 14 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68



Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



3 Watt Pedestal Light

P3-3W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	ø: 9.5 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68

6 Watt Pedestal Light

P6-6W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	ø: 12.5 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68





9 Watt Well Light

QD9-9W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	ø: 16 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68



12 Watt Well Light

QD12-12W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	ø: 16 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68



9 Watt Pedesta Light

P9-9W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	ø: 15 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68



12 Watt Pedestal Light

P12-12W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	ø: 15 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68

Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



18 Watt Well Light

QD18-18W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
18 W	1.8 A	12-24 V 220 V	ø: 22.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68



24 Watt Well Light

QD24-24W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
24 W	2.4 A	12-24 V 220 V	ø: 22.5 cm H: 6 cm		Aluminum 5 mm	Steel 304	Steel	IP68

Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



18 Watt Pedestal Light

P18-18W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
18 W	1.8 A	12-24 V 220 V	ø: 21 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68



24 Watt Pedestal Light

P24-24W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
24 W	2.4 A	12-24 V 220 V	ø: 21 cm H: 6 cm		Steel 304 1 mm	Steel 304	Steel	IP68



18 Watt Well Light

QD18 - 18W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Surface Material	Gland Material	Protection Rating
18 W	1.5 A	12 V	ø: 16 cm H: 4 cm		Aluminum			IP68
18×3 W	3 A							

Pool And Outdoor Water proof Lights

18 Watt Flat Pool Light

FPL18-18W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Surface Material	Gland Material	Protection Rating
18 W	1.5 A	12 V	ø: 20 cm H: 4 cm		Aluminum			IP68
18×3 W	3 A							

Pool And Outdoor Water proof Lights



36 Watt Well Light

QD36-36W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Surface Material	Gland Material	Protection Rating
36 W	3 A	12 V	ø: 22.5 cm H: 4 cm		Aluminum			IP68
36×3 W	6 A							

36 Watt Flat Pool Light

FPL36-36W



Power	Current	Voltages	Dimension	LED Colors	Ring Material	Surface Material	Gland Material	Protection Rating
36 W	3 A	12 V	ø: 26.7 cm H: 4 cm		Aluminum			IP68
36×3 W	6 A							

2.

Pool And Outdoor Waterproof Wallwasher

Pool And Outdoor Waterproof Lights



Pool And Outdoor Waterproof Lights



3 Watt In-Ground WallWasher

VD3-3W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	L: 12.5 cm W: 8 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68

6 Watt In-Ground WallWasher

VD6-6W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	L: 22 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68



Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



3 Watt Pedestal WallWasher

VP3-3W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
3 W	0.3 A	12-24 V 220 V	L: 11 cm W: 7 cm H: 7cm		Steel 304 1 mm	Steel 304 PC 1mm	Steel	IP68

6 Watt Pedestal WallWasher

VP6-6W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V 220 V	L: 21 cm W: 8 cm H: 7cm		Steel 304 1 mm	Steel 304 PC 1mm	Steel	IP68





9 Watt In-Ground WallWasher

VD9-9W




Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	L: 37 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68

12 Watt In-Ground WallWasher

VD12-12W



Power	Current	Voltages	Dimension	LED Colors	Frame Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	L: 37 cm W: 9 cm H: 7cm		Aluminum 5 mm	Steel 304	Steel	IP68



Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



9 Watt Pedestal WallWasher

VP9-9W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V 220 V	L: 35.5 cm W: 8 cm H: 7cm		Steel 304 1 mm	Steel 304 PC 1mm	Steel	IP68

12 Watt Pedestal WallWasher

VP12-12W



Power	Current	Voltages	Dimension	LED Colors	Base Material	Surface Material	Gland Material	Protection Rating
12 W	1.2 A	12-24 V 220 V	L: 35.5 cm W: 8 cm H: 7cm		Steel 304 1 mm	Steel 304 PC 1mm	Steel	IP68



3.

Waterproof Fountain Lights

Pool And Outdoor Waterproof Lights



Pool And Outdoor Waterproof Lights

Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



6 Watt Fountain Light

SN 6-6W



Power	Current	Voltages	Dimension	LED Colors	Surface Material	Gland Material	Protection Rating
6 W	0.6 A	12-24 V	Inner Diameter: 10.5 cm Outer Diameter: 20 cm Height: 6cm		Steel 304	Steel	IP68

9 Watt Fountain Light

SN9 - 9W



Power	Current	Voltages	Dimension	LED Colors	Surface Material	Gland Material	Protection Rating
9 W	0.9 A	12-24 V	Inner Diameter: 1-5 cm Outer Diameter: 20 cm Height: 6cm		Steel 304	Steel	IP68


4.

Waterproof Facade Lights

Pool And Outdoor Waterproof Lights



Pool And Outdoor Waterproof Lights



3&10 Watt Spot Light

ES-J3 ES-J10



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-J3	3W	220 V	ø: 4 cm H: 10.4 cm		1	Aluminum	IP67
ES-J10	10W	220 V	ø: 8.5 cm H: 16 cm		1	Aluminum	IP67

6 Watt WallWasher

ES-WS6 6W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-W6	6W	220 V	L: 10.5 cm W: 4.8 cm H: 6.5 cm		7	Aluminum	IP67

Pool And Outdoor Water proof Lights

Pool And Outdoor Water proof Lights



5 Watt Qubic Wall Light

ES-D5 5W




Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-D5	5W	220 V	L: 6.8 cm W: 4.6 cm H: 3.7 cm		4	Aluminum	IP67

12 Watt WallWasher

ES-WS12 12W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-W12	12W	220 V	L: 17.7cm W: 4.8 cm H: 6.5 cm		14	Aluminum	IP67



18 Watt WallWasher

ES-WS18 18W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-WS18	18W	220 V	L: 24.7 cm W:4.8 cm H:6.5 cm		21	Aluminum	IP67

Pool And Outdoor Water proof Lights



36 Watt WallWasher

ES-WS36 36W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-WS36	36W	220 V	L:45 cm W:4.8 cm H:6.5 cm		42	Aluminum	IP67

Pool And Outdoor Water proof Lights



24 Watt WallWasher

ES-WS24 24W




Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-W24	24W	220 V	L: 33 cm W:4.8 cm H:6.5 cm		28	Aluminum	IP67


72 Watt WallWasher

ES-WS72 72W



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-W72	72W	220 V	L: 87 cm W:4.8 cm H:6.5 cm		84	Aluminum	IP67





4 Way Wall Light

ES-D12



Model	Power	Voltages	Dimension	LED Colors	Number Of LEDs	Body Material	Protection Rating
ES-D12	12W	220 V	A:9.5 H:4.5		16	Aluminum	IP67



New Outdoor Water Proof Flood Lights

FL70-70W



Model	Current	Voltages	LUMENS PER WATT	Dimension	LED Colors	Number Of SMD	Case Material	Protection Rating
FL70	0.45 A	220 V	150	L: 20.5 cm W:20.5 cm H:4 cm		70	Aluminum	IP67

کارخانه: تبریز، کیلومتر ۸
جاده تبریز کوی صنعتی
وحدت، ارتقا صنعت نور

Email: info@eslight.co

Web: www.eslight.co

Tel: +98 41 363 777 82

+98 41 363 733 71

